


[Search by Feature](#)
[Search by Technology](#)
[Search by Software](#)
[Compare Images](#)

Objective: Define a specific software image in order to view its supported features.

Select from the pull down menus to find releases which support particular platform and feature set combinations. View your results in the table below and repeat as necessary to define a specific software image.

Your Selections:

All Software Orderable Software Only

[Platform](#) **IE3000**

Software **IOS**

Major Release ▼

Release ▼

Feature Set/License (s) ▼

[New Search](#) [Show All Software](#)

NOTE: The features listed below are not available in every software image.

Search Results

Features

[100BaseEX SFP](#)

[8-Way CEF Load Balancing](#)

[AAA Broadcast Accounting](#)

[AAA DNIS Map for Authorization](#)

[AAA Resource Accounting](#)

[AAA Server Group](#)

[AAA Server Group Deadtimer](#)

[AAA Server Group Enhancements](#)

[AAA Server Groups Based on DNIS](#)

[Access Switch Device Manager \(SDM\) Template](#)

[ACL - Improved Merging Algorithm](#)

[ACL - Named ACL Support for Noncontiguous Ports on an Access Control Entry](#)

[ACL - Reflexive Access Lists](#)

[ACL - TCP Flags Filtering](#)

[ACL Sequence Numbering](#)

[Additional Vendor-Proprietary RADIUS Attributes](#)

[Address Resolution Protocol \(ARP\)](#)

[ANSI TIA-1057 LLDP - MED Support](#)

[ANSI TIA-1057 LLDP - MED Location Extension](#)

[Authentication Proxy Accounting for HTTP](#)

[AutoInstall Using DHCP for LAN Interfaces](#)

[AutoRP Enhancement](#)

[BGP](#)

[BGP 4](#)[BGP 4 Multipath Support](#)[BGP 4 Prefix Filter and In-bound Route Maps](#)[BGP 4 Soft Config](#)[BGP Conditional Route Injection](#)[BGP Configuration Using Peer Templates](#)[BGP Convergence Optimization](#)[BGP Cost Community](#)[BGP Cost Community Support for EIGRP MPLS VPN PE-CE](#)[BGP Dynamic Update Peer-Groups](#)[BGP Hide Local-Autonomous System](#)[BGP Hybrid CLI Support](#)[BGP Increased Support of Numbered as-path Access Lists to 500](#)[BGP Link Bandwidth](#)[BGP Multipath Load Sharing for Both eBGP and iBGP in an MPLS-VPN](#)[BGP Named Community Lists](#)[BGP Neighbor Policy](#)[BGP Next Hop Propagation](#)[BGP Policy Accounting](#)[BGP Prefix-Based Outbound Route Filtering](#)[BGP Reduction in Transient Memory Usage](#)[BGP Restart Neighbor Session After max-prefix Limit Reached](#)[BGP Route-Map Policy List Support](#)[BGP Soft Reset](#)[BGP Support for Dual AS Configuration for Network AS Migrations](#)[BGP Support for IP Prefix Import from Global Table into a VRF Table](#)[BGP Support for Named Extended Community Lists](#)[BGP Support for Sequenced Entries in Extended Community Lists](#)[BGP Support for TTL Security Check](#)[Bidirectional PIM](#)[Broadcast/Multicast Suppression](#)[CDP \(Cisco Discovery Protocol\) Version 2](#)[CEF/dCEF - Cisco Express Forwarding](#)[CEV6 Switching for 6to4 Tunnels](#)[Certification Authority Interoperability \(CA\)](#)[CGMP - Cisco Group Management Protocol](#)[CIP - DHCP Support](#)[Cisco IGMP MIB and Filter MIB Support](#)[Cisco StackWise Technology](#)[CISCO-PORT-QOS-MIB Enhancement](#)[Class Based Ethernet CoS Matching & Marking \(802.1p & ISL CoS\)](#)[Class Based Weighted Fair Queuing \(CBWFQ\)](#)[Class-Based Marking](#)[Class-Based Policing](#)[Class-Based Shaping](#)[Clear Counters Per Port](#)

[CLI String Search](#)

[Client Information Signalling Protocol \(CISP\)](#)

[CNS](#)

[CNS - Image Agent](#)

[Commented IP Access List Entries](#)

[Committed Access Rate \(CAR\)](#)

[Common Industrial Protocol \(CIP\)](#)

[Common Session-ID logging enhancement](#)

[Configurable Control Plane QoS](#)

[Configurable IGMP Leave Timer](#)

[CONFIGURABLE OPTION TO TURN OFF DOT1X, MAB & AUTHMGR INFORMATIONAL MESSAGES](#)

[Configurable per ATM-VC Hold Queue size](#)

[Configurable Per VLAN MAC Learning \(PVL\)](#)

[Configuration Replace and Configuration Rollback](#)

[Contextual Configuration Diff Utility](#)

[Control Plane Policing \(CoPP\)](#)

[Control-Plane Security Enhancements for UNI Ports](#)

[Custom Queueing \(CQ\)](#)

[DAI \(Dynamic ARP Inspection\)](#)

[Default Passive Interface](#)

[DHCP - Configurable DHCP Client](#)

[DHCP Auto Image upgrade](#)

[DHCP Client](#)

[DHCP Client Option 12](#)

[DHCP Proxy Client](#)

[DHCP Relay Agent Support for Unnumbered Interfaces](#)

[DHCP Server](#)

[DHCP Server Options - Import and Autoconfiguration](#)

[DHCP Snooping](#)

[DHCP Snooping Counters](#)

[DHCPv6 Repackaging](#)

[Diagnostics Options on bootup](#)

[DiffServ Compliant dWRED](#)

[Diffserv Compliant WRED](#)

[DRP Server Agent](#)

[Duplication Location Reporting Issue](#)

[Dynamic Trunking Protocol \(DTP\)](#)

[Easy IP \(Phase 1\)](#)

[EIGRP Support for Route Map Filtering](#)

[Embedded Event Manager \(EEM\) 2.0](#)

[Embedded Event Manager \(EEM\) 2.3](#)

[Embedded Event Manager \(EEM\) 2.4](#)

[Embedded Syslog Manager \(ESM\)](#)

[Encrypted Kerberized Telnet](#)

[EnergyWise](#)

[Enhanced IGRP \(EIGRP\)](#)

[Enhanced Password Security](#)
[Enhanced Tracking Support / Enhanced Object Tracking / EOT](#)
[ErrDisable Reactivation Per Port](#)
[ErrDisable timeout](#)
[EtherChannel](#)
[EtherChannel - Flexible PAgP](#)
[EtherChannel Enhancement - Single Port Channel](#)
[Etherchannel Guard](#)
[EtherChannel Layer 4 Distribution](#)
[Exclusive Configuration Change Access](#)
[Extended ACL support for IGMP to support SSM in IPv4](#)
[Fallback Bridging](#)
[Fast EtherChannel \(FEC\)](#)
[Fast Stack Image Upgrade](#)
[Fast-Switched Policy Routing](#)
[FHRP - HSRP - Hot Standby Router Protocol V2](#)
[FHRP - Object Tracking List](#)
[Firewall Authentication Proxy](#)
[Flex Link Bi-directional Fast Convergence](#)
[Flex Link VLAN Load-Balancing](#)
[Flex Links](#)
[Flex Links Interface Preemption](#)
[Flow-Based Switch Port Analyzer \(SPAN\)](#)
[Flow-Based WRED](#)
[FTP Support for Downloading Software Images](#)
[Generic Routing Encapsulation \(GRE\)](#)
[Generic Routing Encapsulation \(GRE\) Tunnel Keepalive](#)
[Generic Routing Encapsulation Tunnel IP Source and Destination VRF Membership \(PXF Based\)](#)
[Generic Traffic Shaping \(GTS\)](#)
[GOLD - Generic Online Diagnostics](#)
[Hierarchical Traffic Shaping](#)
[HSRP - Hot Standby Router Protocol](#)
[HSRP - Hot Standby Router Protocol and IPSec](#)
[HSRP support for ICMP Redirects](#)
[HSRP support for MPLS VPNs](#)
[HTTP Security](#)
[HTTPS - HTTP with SSL 3.0](#)
[IEEE 802.1ab LLDP \(Link Layer Discovery Protocol\)](#)
[IEEE 802.1p Support](#)
[IEEE 802.1Q Tunneling](#)
[IEEE 802.1Q VLAN Trunking](#)
[IEEE 802.1s - Multiple Spanning Tree \(MST\) Standard Compliance](#)
[IEEE 802.1s VLAN Multiple Spanning Trees](#)
[IEEE 802.1t](#)
[IEEE 802.1W Spanning Tree Rapid Reconfiguration](#)
[IEEE 802.1x - Auth Fail Open](#)

[IEEE 802.1x - Auth Fail VLAN](#)
[IEEE 802.1X - Flexible Authentication](#)
[IEEE 802.1x - VLAN Assignment](#)
[IEEE 802.1x Authenticator](#)
[IEEE 802.1x Fallback support](#)
[IEEE 802.1x Multi-Domain Auth with Voice VLAN Assignment](#)
[IEEE 802.1X Multi-Domain Authentication](#)
[IEEE 802.1x Readiness Check](#)
[IEEE 802.1x Supplicant Support for EAP-FAST](#)
[IEEE 802.1x Supplicant Support for MD5](#)
[IEEE 802.1x with Port Security](#)
[IEEE 802.1x with User Distribution](#)
[IEEE 802.3ad Link Aggregation \(LACP\)](#)
[IEEE 802.3x Flow Control](#)
[IGMP Fast Leave](#)
[IGMP Proxy](#)
[IGMP Querier](#)
[IGMP Snooping](#)
[IGMP State Limit](#)
[IGMP Throttling](#)
[IGMP Version 1](#)
[IGMP Version 2](#)
[IGMP Version 3](#)
[IGMP Version 3 - Explicit Tracking of Hosts, Groups, and Channels](#)
[IGRP](#)
[Image Verification](#)
[Integrated ISIS Global Default Metric](#)
[Integrated ISIS Protocol Shutdown Support Maintaining Configuration Parameters](#)
[Integrated routing and bridging \(IRB\)](#)
[Interface Index Persistence](#)
[Interface Range Specification](#)
[IP Admission Policy MIB](#)
[IP Enhanced IGRP Route Authentication](#)
[IP Event Dampening](#)
[IP Multicast over 1483 VC Mux Encapsulation on ARMII](#)
[IP Named Access Control List](#)
[IP over IPv6 Tunnels](#)
[IP Phone Enhancement - PHY Loop Detection](#)
[IP Precedence Accounting](#)
[IP Precedence for GRE Tunnels](#)
[IP SLAs - Distribution of Statistics](#)
[IP SLAs - DLSW+ Operation](#)
[IP SLAs - DNS Operation](#)
[IP SLAs - FTP Operation](#)
[IP SLAs - History Statistics](#)
[IP SLAs - HTTP Operation](#)

[IP SLAs - Multi Operation Scheduler](#)

[IP SLAs - Reaction Threshold](#)

[IP SLAs - Scheduler](#)

[IP SLAs - SNA LU2 Echo](#)

[IP SLAs - SNMP Support](#)

[IP SLAs - TCP Connect Operation](#)

[IP SLAs - UDP Echo Operation](#)

[IP SLAs Responder](#)

[IP Source Guard](#)

[IP Summary Address for RIPv2](#)

[IPSG \(IP Source Guard\) for Static Hosts](#)

[IPv6 - HTTP\(S\)](#)

[IPv6 Bidirectional PIM](#)

[IPv6 Data Link: VLANs using Cisco Inter-Switch Link \(ISL\)](#)

[IPv6 Data Link: VLANs using IEEE 802.1Q Encapsulation](#)

[IPv6 Dual Stack](#)

[IPv6 Multicast: Address Family Support for Multiprotocol BGP](#)

[IPv6 Multicast: Bootstrap Router \(BSR\)](#)

[IPv6 Multicast: Explicit Tracking of Receivers](#)

[IPv6 Multicast: Multicast Listener Discovery \(MLD\) Protocol, Versions 1 and 2](#)

[IPv6 Multicast: PIM Source-Specific Multicast \(PIM-SSM\)](#)

[IPv6 Multicast: PIM Sparse Mode \(PIM-SM\)](#)

[IPv6 Multicast: Scope Boundaries](#)

[IPv6 Routing - EIGRP Support](#)

[IPv6 Routing: Multiprotocol BGP Extensions for IPv6](#)

[IPv6 Routing: Multiprotocol BGP Link-local Address Peering](#)

[IPv6 Routing: OSPF for IPv6 \(OSPFv3\)](#)

[IPv6 Routing: RIP for IPv6 \(RIPng\)](#)

[IPv6 Routing: Static Routing](#)

[IPv6 Routing: Unicast Routing](#)

[IPv6 Security: Secure Shell SSH support over IPv6](#)

[IPv6 Services: AAAA DNS Lookups over an IPv4 Transport](#)

[IPv6 Services: Cisco Discovery Protocol \(CDP\) - IPv6 Address Family Support for Neighbor Information](#)

[IPv6 Stateless Auto-configuration](#)

[IPv6 Switching: CEFv6 Switched Configured IPv6 over IPv4 Tunnels](#)

[IPv6 Switching: CEFv6 Switched ISATAP Tunnels](#)

[IPv6: ICMPv6](#)

[IPv6: Neighbor Discovery Duplicate Address Detection](#)

[IS-IS Incremental Shortest Path First \(i-SPF\) Support](#)

[IS-IS Limit on Number of Redistributed Routes](#)

[IS-IS Mechanism to Exclude Connected IP Prefix from LSP Advertisements](#)

[IS-IS Multiarea Support](#)

[IS-IS Support for IP Route Tags](#)

[IS-IS Support for Priority-Driven IP Prefix RIB Installation](#)

[ISIS](#)

[ISL VLAN](#)

[ISO CLNS](#)

[Jumbo Frames](#)

[Kerberos V Client Support](#)

[L2PT - Layer 2 Protocol Tunneling](#)

[L2PT - Layer 2 Protocol Tunneling on Trunk Ports](#)

[Local Proxy ARP](#)

[Lock and Key](#)

[Low Latency Queueing \(LLQ\)](#)

[MAC Authentication Bypass](#)

[MAC Move](#)

[MAC Replace](#)

[Manual Certificate Enrollment via TFTP](#)

[Memory Threshold Notifications](#)

[Message Banners for AAA Authentication](#)

[MLD Snooping](#)

[Modular QoS CLI \(MQC\)](#)

[MPLS VPN - Inter-Autonomous System Support](#)

[MPLS VPN - Multi-Path support for Inter-AS VPNs](#)

[MPLS VPN - OSPF PE-CE Support](#)

[MPLS VPN - Route Target Rewrite](#)

[Multi-host Mode with EPM](#)

[Multi-protocol BGP \(MP-BGP\) - MPLS VPN](#)

[Multicast BGP \(MBGP\)](#)

[Multicast Etherchannel Load Balancing](#)

[Multicast Fast Convergence with Flexlink Failover](#)

[Multicast Fast Switching Performance Improvement](#)

[Multicast Routing Monitor \(MRM\)](#)

[Multicast Source Discovery Protocol \(MSDP\)](#)

[Multicast Subsecond Convergence](#)

[Multicast VLAN Registration on Trunk Ports](#)

[Multicast-VPN: Multicast Support for MPLS VPN](#)

[MVR \(Multicast VLAN Registration\) - Support for 512 Groups](#)

[NAC - L2 IEEE 802.1x](#)

[NAC - L2 IP](#)

[NAC - L2 IP with Auth Fail Open](#)

[NAT-Support of IP Phone to Cisco Call Manager](#)

[NetFlow Aggregation](#)

[NetFlow Export of BGP Nexthop Information](#)

[Netflow Input Filters and Multi-Sampling rates](#)

[Network Time Protocol \(NTP\)](#)

[NSF - OSPF](#)

[NSF Awareness - BGP](#)

[NSF Awareness - EIGRP](#)

[NSF Awareness - OSPF](#)

[NTPv4 with support for IPv4 and IPv6](#)

[On Demand Routing \(ODR\)](#)

[OSPF](#)[OSPF Area Transit Capability](#)[OSPF Flooding Reduction](#)[OSPF Forwarding Address Suppression in Translated Type-5 LSAs](#)[OSPF Inbound Filtering using Route Maps with a Distribute List](#)[OSPF Link State Database Overload Protection](#)[OSPF Link-local Signaling \(LLS\) Per Interface Basis](#)[OSPF MIB Support of RFC 1850 and Latest Extensions](#)[OSPF On Demand Circuit \(RFC 1793\)](#)[OSPF Packet Pacing](#)[OSPF Sham-Link Support for MPLS VPN](#)[OSPF Shortest Paths First Throttling](#)[OSPF Stub Router Advertisement](#)[OSPF Support for Fast Hellos](#)[OSPF Support for Forwarding Adjacencies over MPLS Traffic Engineered Tunnels](#)[OSPF Support for Link State Advertisement \(LSA\) Throttling](#)[OSPF Support for Unlimited Software VRFs per Provider Edge \(PE\) Router](#)[OSPF Update Packet-Pacing Configurable Timers](#)[OSPFv3 Graceful Restart](#)[Packet-Based Storm Control](#)[Parse Bookmarks](#)[Parser Cache](#)[PBR Support for Multiple Tracking Options](#)[Performance Enhancements for IOS ACL](#)[PIM Dense Mode State Refresh](#)[PIM MIB Extension for IP Multicast](#)[PIM Version 1](#)[PIM Version 2](#)[Policy-Based Routing \(PBR\)](#)[Port Security](#)[Port Security on Private VLAN Ports](#)[Pre-fragmentation For Ipsec VPNs](#)[Priority Queueing \(PQ\)](#)[Private VLANs](#)[Profinet](#)[Profinet support for Topology Editor](#)[Propagation of Location Info over CDP](#)[PTP pass-through on expansion modules](#)[QoS Packet Marking](#)[QoS Policy Propagation via Border Gateway Protocol \(QPPB\)](#)[QoS Priority Percentage CLI Support](#)[RADIUS](#)[RADIUS Attribute 44 \(Accounting Session ID\) in Access Requests](#)[RADIUS Change of Authorization \(CoA\)](#)[RADIUS for Multiple User Datagram Protocol Ports](#)[RADIUS Server Load Balancing](#)

[RADIUS Tunnel Attribute Extensions](#)

[Rapid-Per-VLAN-Spanning Tree \(Rapid-PVST\)](#)

[Reduced MAC Address Usage](#)

[Remote SPAN \(RSPAN\)](#)

[REP - \(Resilient Ethernet Protocol\)](#)

[Resilient Ethernet Protocol \(REP\) LSL Ageout timer improvements](#)

[Resilient Ethernet Protocol \(REP\) multicast performance improvements](#)

[Resilient Ethernet Protocol-no-edge-neighbour-enhancement](#)

[Response Time Reporter \(RTR\)](#)

[Response Time Reporter \(RTR\) enhancements](#)

[Reverse Route Injection \(RRI\)](#)

[RGMP - Router-Port Group Management Protocol](#)

[RIP](#)

[RMON events and alarms](#)

[RTP Header Compression](#)

[Secure Copy \(SCP\)](#)

[Secure Shell SSH Version 1 Integrated Client](#)

[Secure Shell SSH Version 1 Server Support](#)

[Secure Shell SSH Version 2 Client Support](#)

[Secure Shell SSH Version 2 Server Support](#)

[Selective Virtual-Access Interface Creation](#)

[Silent Operation Mode](#)

[SmartPorts - Templates for Industrial Automation](#)

[SNMP \(Simple Network Management Protocol\)](#)

[SNMP Inform Request](#)

[SNMP Manager](#)

[SNMP Support over VPNs - Context Based Access Control](#)

[SNMPv2C](#)

[SNMPv3 \(SNMP Version 3\)](#)

[Software Based Protocol Rate Limiting \(a.k.a PSP Protocol Storm Protection\)](#)

[Source Specific Multicast \(SSM\) - IGMPv3,IGMP v3lite, and URD](#)

[Source Specific Multicast \(SSM\) Mapping](#)

[Spanning Tree Protocol \(STP\)](#)

[Spanning Tree Protocol \(STP\) - Backbone Fast Convergence](#)

[Spanning Tree Protocol \(STP\) - Loop Guard](#)

[Spanning Tree Protocol \(STP\) - Portfast](#)

[Spanning Tree Protocol \(STP\) - PortFast BPDU Filtering](#)

[Spanning Tree Protocol \(STP\) - Portfast BPDU Guard](#)

[Spanning Tree Protocol \(STP\) - Portfast Support for Trunks](#)

[Spanning Tree Protocol \(STP\) - Root Guard](#)

[Spanning Tree Protocol \(STP\) - Uplink Fast Convergence](#)

[Spanning Tree Protocol \(STP\) - Uplink Load Balancing](#)

[Spanning Tree Protocol \(STP\) Extension](#)

[SRR \(Shaped Round Robin\)](#)

[Standalone MAB support](#)

[Standard IP Access List Logging](#)

[Standby Supervisor Port Usage](#)
[STP Syslog Messages](#)
[Stub IP Multicast Routing](#)
[Support for 4096 VLAN IDs](#)
[Suppress BGP Advertisement for Inactive Routes](#)
[Switch Port Analyzer \(SPAN\)](#)
[Tacacs SENDAUTH function](#)
[Tacacs Single Connection](#)
[TACACS+](#)
[Time-Based Access Lists](#)
[Time-Based Access Lists Using Time Ranges\(ACL\)](#)
[Transparent Bridging](#)
[Triggered RIP](#)
[Trunk Failover](#)
[Trusted boundary \(extended trust for CDP devices\)](#)
[Trusted Root Certification Authority](#)
[Tunnel Type of Service \(TOS\)](#)
[UDI - Unique Device Identifier](#)
[UDLR Tunnel ARP and IGMP Proxy](#)
[Uni-Directional Link Routing \(UDLR\)](#)
[Unicast Mac Filtering](#)
[Unicast Reverse Path Forwarding \(uRPF\)](#)
[User Maximum Links](#)
[Vendor-Specific RADIUS Attributes](#)
[Virtual Profile CEF Switched](#)
[Virtual Router Redundancy Protocol \(VRRP\)](#)
[VLAN Access Control List \(VACL\)](#)
[VLAN Aware Port Security](#)
[VLAN-ID Based MAC Authentication](#)
[VTP \(Virtual Trunking Protocol\) Version 2](#)
[VTP version 3](#)
[Warm Reload](#)
[WCCP Redirection on Inbound Interfaces](#)
[WCCP Version 1](#)
[WCCP Version 2](#)
[Web Authentication Proxy](#)
[Webauth Enhancements](#)
[Weighted Fair Queueing \(WFQ\)](#)
[Weighted RED \(WRED\)](#)
[Weighted Tail Drop \(WTD\)](#)
[x Digital Subscriber Line \(xDSL\) Bridge Support](#)

Some features are dependent on product model, interface modules (i.e. Line Cards & Port Adapters), and/or require a software feature license. [Click here](#) for more information.

[Terms & Conditions](#) | [Privacy Statement](#) | [Cookie Policy](#) | [Trademarks](#)